

Choose Trailer Type

Then Choose Model

Trailers- Industrial Tag

Updated January 6, 2006

LANDOLL L2024

Model	Capacity*	Deck	Axles	Tires & Ply Rating
L2024	10 Ton	102	2	9.5x16.5 LRE




[Enlarge Photo](#)

STANDARD EQUIPMENT

*Capacity:	20,000 Lbs.	Beavertail:	5' Self Cleaning Beavertail
Conc. Deck Rating:	20,000 Lbs. In 10 ft. area	Ramps:	5' Self Cleaning Adjustable Spring Assisted Flip-over Ramps
Estimated Base Weight:	5,900 Lbs.	Lights:	Sealed Beam System with Sealed Wiring Harness D.O.T. Approved
Main Frame:	I-Beam	Tie Downs:	10 Double Key Hole Chain Locks-Gotchass/Stake Pockets
Crossmembers:	4" Jr. I-Beams on 16" Centers 80,000# PSI	Finish:	High Quality Powder Paint
Side Rail:	8" Deep Formed Steel Side Rails	Color:	Yellow
Jack:	12,000 Lb. Quick Lift Parking Jack	Decals:	Red and White Conspicuity Decals
Tires:	9.50x16.5 LRE Nylon		
Wheels:	Dual Disc Wheels - 8 hole		
Axles:	2-10,000 Lbs. General Duty with Oil Sealed Hubs		
Suspension:	Spring Suspension (3" wide)		
Brakes:	12-1/4"x3-3/8" Electric Brakes		
Hitch:	Heavy Duty Pintle Eye Hitch Adjustable 20" to 30" with Safety Chains		
Headboard:	6" Headboard		
Decking:	2" Nominal Fir		
Loaded Deck Height:	35 Inches		
Width:	102" Wide		
Length:	24' Deck (19' Flat Deck + 5' Beavertail)		

*Capacity rating are frame capacities only. Actual load capacities may be restricted by factors such as gross axle weight (GAWR) or state and federal regulations.

Specifications subject to change without notice.



[Enlarge Drawing](#)

OPTIONAL EQUIPMENT

RAMPS:

Heavy Duty Crawler Ramps (Wood Filled)
Third Ramp

BRAKES:

Hydraulic Shoe Brakes in Lieu of Std.
Electric Brake Cab Control
Vacuum/Hydraulic Brake Control
- Contact Factory For Lead Time.

HITCH:

Ball Hitch
Tool and Block Box (in Pintle Hitch)
Lockable Hinged Cover for Tool and Block Box (in Pintle Hitch)
Part# 122817 Gooseneck with Block Box with Jr. Fifth wheel hitch in lieu of Std.
Part# 3-375-010610-01 Gooseneck with Block Box with 2-5/16" Ball Hitch in Lieu of Std.
Part# 123738 Gooseneck with Block Box with King Pin Hitch in lieu of std

DECK AND ACCESSORIES:

96" Width Not Available
Wood Covered Beavertail in Lieu of Std.
Traction Bars for Wood Covered Beavertail
Flush Mounted "D" Rings (Each)
Apitong Wood Decking including the BT in lieu of std
- The BT wood will not cover the Bucket Trough
Bucket Trough Filler Wood Covered
- To fully cover the BT you must choose Wood Covered Beavertail and the Bucket Trough Filler options
Bucket Trough Filler Self-Cleaning

[Click Here to receive printed literature for this product.](#)
(Make sure you click on L2024 in the product listing)

[Close Window](#)

© 2002 Landoll Corporation, All rights reserved