

Choose Trailer Type

Then Choose Model

# Trailers- Industrial Tag

Updated March 18, 2006



## LANDOLL L4024



Model	Capacity*	Deck	Axles	Tires & Ply Rating
L4024 Subject to F.E.T.	20 Ton	102	2	215/75Rx17.5 LRH




[View Photo Gallery](#)

Photos may show optional equipment

### STANDARD EQUIPMENT

<b>Capacity:</b>	40,000 lbs.	<b>Beavertail:</b>	5' Self Cleaning Beavertail
<b>Conc. Deck Rating:</b>	40,000 Lbs. In 10 ft. area	<b>Ramps:</b>	5' Self Cleaning Adjustable Spring-Assisted Flip-over Ramps
<b>Estimated Base Weight:</b>	8,500 Lbs.	<b>Lights:</b>	Sealed Beam System with Sealed Wiring Harness D.O.T. Approved
<b>Main Frame:</b>	I-Beam	<b>Tie Downs:</b>	10 Double Key Hole Chain Locks-Gotch/As/Stake Pockets
<b>Crossmembers:</b>	4" Jr. I-Beams on 12" Centers, 80,000# PSI	<b>Finish:</b>	High-Quality Powder Paint
<b>Side Rail:</b>	9" Deep Formed Steel Side Rails	<b>Color:</b>	Yellow, Black, White
<b>Jacks:</b>	12,000 Lb. Quick Lift Parking Jacks	<b>Decals:</b>	Red and White Conspicuity
<b>Tires:</b>	215/75Rx17.5 LRH Goodyear		
<b>Wheels:</b>	Hub Pilot/Steel Outboard Brake Drums		
<b>Axles:</b>	2 - 25,000 Lbs. Dual Tire, Oil Seal Hubs		
<b>Suspension:</b>	Multi-Leaf Springs 45,000 Lb. Capacity		
<b>Brakes:</b>	12.25x7.5 Full Air AB, 4S2M		
<b>Hitch:</b>	Heavy Duty Pintle Eye Hitch Adjustable 20" to 30" Safety Chains - Eyelet 15,000# Vertical; 60,000# Total Capacity		
<b>Headboard:</b>	6" Headboard		
<b>Decking:</b>	2" Nominal Fir		
<b>Loaded Deck Height:</b>	32 Inches		
<b>Width:</b>	102" Wide		
<b>Length:</b>	24' Deck (19' Flat Deck + 5' Beavertail)		

Specifications subject to change without notice.



[Enlarge Drawing](#)

## OPTIONAL EQUIPMENT

### RAMPS:

Third Ramp with Center Mounting Kit  
Heavy Duty Crawler Ramps (Wood Filled)

### HITCH:

Tool and Block Box  
Lockable Hinged Cover for Tool and Block Box

### DECK AND ACCESSORIES:

96" Width Not Available  
Wood Covered Beavertail in Lieu of Std.  
Traction Bars for Wood Covered Beavertail  
Flush Mounted "D" Rings (each)  
Apitong Wood Decking including BT in lieu of Std.  
- The BT wood will not cover the Bucket Trough  
Bucket Trough Filler Wood Covered (P/N 121311)  
- To fully cover the BT you must choose Wood Covered Beavertail and the Bucket Trough Filler options  
Bucket Trough Filler Self-Cleaning

### TIRES AND RIMS:

10R 17.5 Goodyear in Lieu of Std  
10R 17.5 Michelin in lieu of Std  
235/75R 17.5 Hankook in lieu of Std  
235/70R 17.5 Kumho in lieu of Std  
Spare Double Coin tire & Hub Pilot Type Rim (10R 17.5) each  
Spare Goodyear Tire & hub Pilot Type Rim (10R 17.5) each  
Spare Michelin Tire & Hub Pilot Type Rim (10R 17.5) each  
Spare Hankook Tire & Hub Pilot Type Rim (235/70R 17.5) each  
Spare Kumho Tire & Hub Pilot Type Rim (235/70R 17.5) each

[Click Here to receive printed literature for this product.](#)  
(Make sure you click on L4024 in the product listing)

[Close Window](#)

1900 North Street | Marysville, Kansas 66508 | (785) 562-5381

© 2002 Landoll Corporation, All rights reserved